



Nối trơn / Plain socket




DN		PN	D	Z	L
mm	inch	bar	mm	mm	mm
21	1/2	15	28	3	63
27	3/4	15	33	3	73
34	1	15	41	4	84
42	1 1/2	15	50	4	92
49	1 3/4	12	57	5	115
60	2	12	69	5	131
60	2	6	67	5	79
90	3	12	103	7	135
90	3	6	97	7	109
114	4	9	133	7	175
114	4	6	123	7	135

Nối rút / Reducer socket




DN		PN	D	D ₁	Z	L
mm	inch	bar	mm	mm	mm	mm
27 x 21	3/4 x 1/2	15	34	28	7	73
34 x 21	1 x 1/2	15	41	28	6	77.5
34 x 27	1 x 3/4	15	41	34	6	83
42 x 21	1 1/4 x 1/2	15	50	28	13.7	90
42 x 27	1 1/4 x 3/4	15	50	34	11.2	92.5
42 x 34	1 1/4 x 1	15	50	41.2	8.2	95
60 x 34	2 x 1	15	70	41	18	123
60 x 42	2 x 1 1/4	12	70	50	12.79	123
90 x 34	3 x 1	9	97	41	22.45	113.5
90 x 60	3 x 2	6	97	70	19	110
114 x 90	4 x 3	6	124	97	20	138

Nối ren ngoài Male thread socket




DN			PN	D	Z	L	L ₁	B
mm x mm	mm x inch	inch x inch	bar	mm	mm	mm	mm	mm
21 x 21	21 x 1/2	1/2 x 1/2	15	28	4.5	55	18	32
27 x 21	27 x 1/2	3/4 x 1/2	15	34	7	60.5	18	38
27 x 27	27 x 3/4	3/4 x 3/4	15	34	8.5	63	20	38
27 x 34	27 x 1	3/4 x 1	15	34	4	63.5	23.5	41
34 x 34	34 x 1	1 x 1	15	41	6	71.5	23.5	47

Nối ren trong Female thread socket




DN			PN	D	Z	L	L ₁	B
mm x mm	mm x inch	Inch x Inch	bar	mm	mm	mm	mm	mm
21 x 21	21 x 1/2	1/2 x 1/2	15	28	1.5	50	18	34
27 x 21	27 x 1/2	3/4 x 1/2	15	34	2	56	18	34
27 x 27	27 x 3/4	3/4 x 3/4	15	34	2	58	20	42

Nối ren trong thau
Female brass thread




DN			PN	D	Z	L	L ₁	B
mm x mm	mm x inch	Inch x Inch	bar	mm	mm	mm	mm	mm
27 x 21	27 x 1/2	3/4 x 1/2	15	34	5	56	16	39

Nối ren ngoài thau
Male brass thread





DN			PN	D	Z	L	L ₁	B
mm x mm	mm x inch	Inch x Inch	bar	mm	mm	mm	mm	mm
27 x 27	27 x 3/4	3/4 x 3/4	15	34	16	69	16	39

Co 90° ren trong
Female thread 90° elbow




DN		PN	D	D ₁	Z	Z ₁	L ₁	H	H ₁	B
mm	Inch	bar	mm	mm	mm	mm	mm	mm	mm	mm
21 x 21	1/2 x 1/2	15	28	30	11	11	16	41	50	34
27 x 21	3/4 x 1/2	15	33	37	14	13	19	44	54	37

Co 90° ren ngoài
Male thread 90° elbow




DN			PN	D	D ₁	Z	Z ₁	L ₁	H	H ₁	B
mm x mm	mm x inch	inch x inch	bar	mm	mm	mm	mm	mm	mm	mm	mm
21 x 21	21 x 1/2	1/2 x 1/2	15	28	28	13	30	14	43	44	34

Co 90° ren trong thau
Female brass thread 90° elbow




DN			PN	D	D ₁	Z	Z ₁	L ₁	H	H ₁	B
mm x mm	mm x inch	inch x inch	bar	mm	mm	mm	mm	mm	mm	mm	mm
21 x 21	21 x 1/2	1/2 x 1/2	15	28	28	13	16.5	16	43	63	34
27 x 21	27 x 1/2	3/4 x 1/2	15	34	34	14.5	14	16	50	32.5	38.5

Co 90° ren ngoài thau
Male brass thread 90° elbow




DN			PN	D	D ₁	Z	Z ₁	L ₁	H	H ₁	B
mm x mm	mm x inch	inch x inch	bar	mm	mm	mm	mm	mm	mm	mm	mm
21 x 21	21 x ½	½ x ½	15	28	28	13	30	14	43	44	34
27 x 21	27 x ½	¾ x ½	15	34	34	14.3	32.5	14	50	46.5	38.5

Co 90° / 90° Elbow




DN		PN	D	Z	H
mm	Inch	bar	mm	mm	mm
21	½	15	28	11	41
27	¾	15	33	14	49
34	1	15	41	17	57
42	1½	12	50	21	65
49	1¾	12	57	24	79
60	2	12	69	30	96
60	2	6	67	30	55
90	3	12	103	45	109
90	3	6	97	96	85
114	4	12	133	57	141
114	4	6	123	57	107

Co 45° / 45° Elbow




DN		PN	D	Z	L
mm	Inch	bar	mm	mm	mm
21	½	15	28	5	35
27	¾	15	33	6	41
34	1	15	41	7	47
42	1¼	15	50	9	53
49	1½	12	57	10	65
60	2	12	69	13	76
60	2	6	67	13	38
90	3	12	103	19	83
90	3	6	97	19	59
114	4	9	127	24	108
114	4	6	123	24	74

Van cầu / Ball valve




DN		PN	D	Z	H	H ₁	H ₂
mm	Inch	bar	mm	mm	mm	mm	mm
21	½	12	28	16	49	49	22
27	¾	12	34	18	56	51	25
34	1	12	41	20	64	60	29
42	1½	12	53	20	73	37	71
49	1¾	12	59	32	88	42	73
60	2	10	73	38	92	47	83

Van cầu / Ball valve




DN		PN	D	Z	L	H	H ₁	H ₂
mm	Inch	bar	mm	mm	mm	mm	mm	mm
90	3	6	109	57	192	130	75	133

Chữ T / Tee




DN		PN	D	Z	H
mm	Inch	bar	mm	mm	mm
21	½	15	28	13	43
27	¾	15	33	16	52
34	1	15	41	20	60
42	1½	15	50	21	66
49	1¾	12	57	28	83
60	2	12	69	36	76
60	2	6	67	36	73
90	3	12	103	52	116
90	3	6	97	52	103
114	4	9	133	68	152
114	4	6	123	68	132

Chữ T rút / Reducing tee




DN		PN	D	D ₁	Z	Z ₁	H	H ₁
mm	Inch	bar	mm	mm	mm	mm	mm	mm
27 x 21	¾ x ½	15	34	28	12	14.5	48	46
34 x 21	1 x ½	15	41	28	12	19.4	53	50
34 x 27	1 x ¾	15	41	34	16	19.4	57.5	55.5
42 x 21	1½ x ½	15	50	28	14	23	60	55
42 x 27	1½ x ¾	15	50	34	14	23	60	59
42 x 34	1½ x 1	15	50	40	19	24	65	65
60 x 21	2 x ½	15	70	28	14.5	33	78	64
60 x 27	2 x ¾	15	70	34	17	33.3	81	69
60 x 34	2 x 1	12	70	41	19	32	83	73

Chữ T cong / Bend T



DN		PN	D	Z	Z ₁	Z ₂	H	H ₁	H ₂
mm	Inch	bar	mm	mm	mm	mm	mm	mm	mm
60	2	6	67	28.5	40	48.5	70	83	88
90	3	6	97	44	63	72	99	119	124
114	4	3	124	55.74	80.14	89.09	124.44	148.84	157.33

Chữ Y 45° / Y 45°



DN		PN	D	H	Z	H ₁	Z ₁
mm	Inch	bar	mm	mm	mm	mm	mm
60	2	6	67	55.65	17.27	116.35	77.97
90	3	6	97	82.61	29.61	189.39	136.39
114	4	3	124	100.61	34.61	239.39	173.40